## **AUTHOR INDEX**

	PAGE
Aiken, J., see Weeks et al.	253
Alexander, C.G., see Johnston et al.	1
Almada, V.C., see Gonçalves et al.	
Almasi, K.N., see Kohn and Almasi.	
Almeida, A.J., see Gonçalves et al.	
Alvarez, J.A.	
Fenestrulina barrosoi sp. nov. (Bryozoa: Cheilostomida) with a review of the genus	
Fenestrulina on the Iberian Peninsula	831
Ansell, A.D., see Pinn and Ansell	
Arkhipkin, A. and Nekludova, N.	
Age, growth and maturation of the loliginid squids Alloteuthis africana and A. subulata	
on the west African shelf	
Statolith microstructure and maximum age of Loligo gahi (Myopsida:	
Loliginidae) on the Patagonian shelf	979
Astles, K.L. Patterns of abundance and distribution of species in intertidal rock pools	555
Austen, M.C., Warwick, R.M. and Ryan, K.P.	
Astomonema southwardorum sp. nov., a gutless nematode dominant in a methane seep	
area in the North Sea	
Bamber, R.N. and Thurston, M.H. Deep water pycnogonids of the Cape Verde Slope	837
Bannister, N.J.	
Distribution and structure of the sub-cuticular glands in the copepod Temora longicorn	is 97
Innervation of luminous glands in the calanoid copepod Euaugaptilus magnus	417
Bavestrello, G., Cattaneo-Vietti, R., Cerrano, C. and Sarà, M.	
Rate of spiculogenesis in Clathrina cerebrum (Porifera: Calcispongiae) using tetracyclin	ie
marking	
Bayne, B.L., Iglesias, J.I.P., Hawkins, A.J.S., Navarro, E., Heral, M. and Deslous-Paoli, J.M.	
Feeding behaviour of the mussel, Mytilus edulis: responses to variations in quantity	
and organic content of the seston	813
Beare, D.J., see Moore and Beare	
Beaumont, A.R., see Fairbrother and Beaumont	647
Bebianno, M.J., see Nott et al.	655
Bell, M.V. and Dick, J.R.	
The appearance of rods in the eyes of herring and increased di-docosahexaenoyl	
molecular species of phospholipids	679
Bellan, I., see Weeks et al.	253
Beninger, P.G. and Le Pennec, M.	
Histochemistry of the bucco-oesophageal glands of Mytilus edulis: the importance of	
mucus in ingestion	
Beukema, J.J., see Dekker and Beukema	497
Blake, J.A.	
Life history analysis of five dominant infaunal polychaete species from the continent	
slope off North Carolina	123
Bright, D.A., see Bryan, Bright, Hummerstone and Burt	
Bronsdon, S.K., Tyler, P.A., Rice, A.L. and Gage, J.D.	
Reproductive biology of two epizoic anemones from the deep north-eastern Atlantic	
Ocean	
Brownlee, C. (ed.) Developmental biology of marine organisms (Abstracts)	

-				
	c	۹		
	ь			
c	۳	٠		
	ь		۹	
÷	ø		1	
Ξ	_	d		

	NOL
Bruce, N.L.	
Redescription of the overlooked crustacean isopod genus Xenuraega (Aegidae,	
Flabellifera)	617
Bryan, G.W., Bright, D.A., Hummerstone, L.G. and Burt, G.R.	
Uptake, tissue distribution and metabolism of 14C-labelled tributyltin (TBT) in the	
dog-whelk, Nucella lapillus	889
Bryan, G.W., Burt, G.R., Gibbs, P.E. and Pascoe, P.L.	
Nassarius reticulatus (Nassariidae: Gastropoda) as an indicator of tributyltin pollution	
before and after TBT restrictions	
Burkill, P.H., see Leakey et al.	579
Burt, G.R.	
See Bryan, Bright, Hummerstone and Burt	
See Bryan, Burt, Gibbs and Pascoe	913
Cadman, P.S. and Nelson-Smith, A. A new species of lugworm: Arenicola defodiens sp. nov.	213
Cartes, J.E.	
Feeding habits of oplophorid shrimps in the deep western Mediterranean	193
Day-night feeding by decapod crustaceans in a deep-water bottom community in the	
western Mediterranean	
Castagna, M., see Hu et al.	
Cattaneo-Vietti, R., see Bavestrello et al.	
Cerrano, C., see Bavestrello et al.	457
Christou, E.D. and Verriopoulos, G.C.	
Length, weight and condition factor of Acartia clausi (Copepoda) in the eastern	
Mediterranean	343
Clark, K.J. and Threlfall, W.	
The geographical distribution, population dynamics and reproductive biology of	-
Boreomysis nobilis in Newfoundland fjords	755
Crawford, D.W.	
Some observations on morphological variation in the red-water ciliate Mesodinium	OFF
rubrum	975
Darling, M.S. and Wilbur, K.M.	772
A method for measuring growth in living barnacles (Crustacea: Cirripedia)	/ 23
Davenport, J.	
Ultrasonography: a non-invasive tool for the study of structure and mechanical events	461
in marine animals	401
Dekker, R. and Beukema, J.J.  Dynamics and growth of a bivalve, <i>Abra tenuis</i> , at the northern edge of its distribution.	407
Deslous-Paoli, J.M., see Bayne et al.	
Dewarumez, JM., see Luczak et al.  Dexter, B.L., see Factor and Dexter	
Dick, J.R., see Bell and Dick Dixon, D.R., see Williams et al.	427
Double, M., see Grahame et al.	
Duncan, A., see Green, E.P. et al.	
Essink, K., see Luczak et al.	
Factor, J.R. and Dexter, B.L. Suspension feeding in larval crabs (Carcinus maenas)	
Fairbrother, J.E. and Beaumont, A.R.	20/
Heterozygote deficiencies in a cohort of newly settled <i>Mytilus edulis</i> spat	647
Fasham, M.J.R., see Weeks et al.	
Fenaux, R. A new genus of midwater appendicularian: Mesoikonleura with four species	

Fukui, Y.	PAGE
Chromosomes of the sea anemone Haliplanella luciae (= H. lineata) (Coelenterata:	
Actiniaria)	971
Fuller, S.C., see Hu et al.	
Gage, J.D., see Bronsdon et al.	
Gambardella, C., see Guarino et al.	
Gibbs, P.E.	
A male genital defect in the dog-whelk, Nucella lapillus (Neogastropoda), favouring	
survival in a TBT-polluted area	667
See also Bryan, Burt, Gibbs and Pascoe	
Gilron, G.L., see Lynn and Gilron	
Glynn, P.J. and Pulsford, A.L.	#2
Tryptic digestion of the serum immunoglobulin of the flounder, Platichthys flesus	425
Goater, C.P.	The same
Population biology of Mieogymnophallus minutus (Trematoda: Gymnophallidae) in	
cockles from the Exe Estuary	163
Gonçalves, E.J., Almada, V.C., Almeida, A.J. and Oliveira, R.F. de	
On the occurrence of <i>Parablennius sanguinolentus</i> (Pisces: Blenniidae) on the	
Portuguese coast	465
Gosselin, L.A. A method for marking small juvenile gastropods	
Grahame, J., Mill, P.J., Double, M. and Hull, S.L. Reply to Johannesson and Johannesson	
Green, E.P., Harris, R.P. and Duncan, A.	
The seasonal abundance of the copepodite stages of Calanus helgolandicus and	
Pseudocalanus elongatus off Plymouth	109
Green, J.C., see Jones, H.L.J. et al.	
Guarino, S.M., Gambardella, C., Ianniruberto, M. and Nicola, M. de	
Colour polymorphism in Idotea baltica from the Bay of Naples and its ecological	
significance	785
Guillou, M. and Michel, C.	
Reproduction and growth of Sphaerechinus granularis (Echinodermata: Echinoidea) in	
southern Brittany	
Hamerlynck, O. and Vanreusel, A.	
Mesacanthion diplechma (Nematoda: Thoracostomopsidae), a link to higher trophic	
levels?	453
Harbour, D.S., see Weeks et al.	
Harris, R.P., see Green, E.P. et al.	
Hartnoll, R.G., see Kideys et al.	
Hawkins, A.J.S., see Bayne et al.	
Hays, G.C. and Warner, A.J. Consistency of towing speed and sampling depth for the	
Continuous Plankton Recorder	967
Heggberget, T.M.	
Marine-feeding otters (Lutra lutra) in Norway: seasonal variation in prey and	
reproductive timing	297
Heral, M., see Bayne et al.	
Holland, P.W.H., see Williams et al.	437
Hu, YP., Fuller, S.C., Castagna, M., Vrijenhoek, R.C. and Lutz, R.A.	
Shell morphology and identification of early life history stages of congeneric species	of
Crassostrea and Ostrea	471
Hughes, R.N., see Hunter and Hughes	
Hull, S.L., see Grahame et al.	250
Hummerstone, L.G., see Bryan, Bright, Hummerstone and Burt	889

PAGE

Hunter, E. and Hughes, R.N.	
The effect of cell concentration on colony growth and feeding in the marine bryozoan	
Celleporella hyalina	321
Ianniruberto, M., see Guarino et al.	
Iglesias, J.I.P., see Bayne et al.	
Jensen, K.T.	
Density-dependent growth in cockles (Cerastoderma edule): evidence from interannual	222
comparisons	
Johannesson, B., see Johannesson, K. and Johannesson, B	
The taxonomic status of Littorina neglecta: a comment to Grahame, Mill, Double & Hull Johnston, D.J., Alexander, C.G. and Yellowlees, D.	249
Histology, histochemistry and enzyme biochemistry of the digestive glands in the tropical surf barnacle Tetraclita squamosa	1
Jones, H.L.J., Leadbeater, B.S.C. and Green, J.C.	
Mixotrophy in marine species of Chrysochromulina (Prymnesiophyceae): ingestion and	202
digestion of a small green flagellate	200
Jones, M.B. and Wigham, G.D.	
Reproductive biology of Orchestia gammarellus (Crustacea: Amphipoda) living in a	405
sewage treatment works	
See also Norman and Jones	3/9
Kideys, A.E., Nash, R.D.M. and Hartnoll, R.G.	
Reproductive cycle and energetic cost of reproduction of the neogastropod Buccinum	201
undatum in the Irish Sea	391
Kluijver, M.J. de	700
Sublittoral hard-substratum communities off Orkney and St Abbs (Scotland)	
Kohn, A.J. and Almasi, K.N. Imposex in Australian Conus	241
Kugele, M. and Yule, A.B. Mobility in lepadomorph barnacles	719
Langsdale, J.R.M.	
Developmental changes in the opacity of larval herring, Clupea harengus, and their	
implications for vulnerability to predation	
Langston, W.J., see Nott et al.	
Lawrence, J., see Polson et al.	727
Leadbeater, B.S.C., see Jones, H.L.J. et al.	283
Leakey, R.J.G., Burkill, P.H. and Sleigh, M.A.	
Planktonic ciliates in Southampton Water: quantitative taxonomic studies	579
Le Pennec, M., see Beninger and Le Pennec	237
Luczak, C., Dewarumez, JM. and Essink, K.	
First record of the American jack knife clam Ensis directus on the French coast of the North Sea	233
Lutz, R.A., see Hu et al.	471
Lynn, D.H. and Gilron, G.L.	
Strombidiid ciliates from coastal waters near Kingston Harbour, Jamaica (Ciliophora, Oligotrichia, Strombidiidae)	47
Marrale, D., see Würtz and Marrale	
Martin, D., see Sardá and Martin	
McGrath, D., see Myers and McGrath	
McVicar, A.H., see Siddall et al.	
Michel, C., see Guillou and Michel	
Mill, P.J., see Grahame et al.	
transf & 154 out Samemann Ct His concentration of the concentration of t	200

## JMBA VOLUME 73: AUTHOR INDEX

xiii

PAGE

Moore, P.G. and Beare, D.J.  Taxonomic confusion in the genus <i>Pontocrates</i> (Crustacea: Amphipoda) and the	
presence of P. arcticus in Britain	609
Munilla, T. Pycnogonids from southern Spain: Fauna 1 Project	543
Myers, A.A. and McGrath, D.	
Settlement and growth of the intertidal gastropod, Melaraphe neritoides, on the south	
coast of Ireland	313
Naldrett, M.J.	
The importance of sulphur cross-links and hydrophobic interactions in the	
polymerization of barnacle cement	689
Napier, I.R.	
The organic carbon content of gravel bed herring spawning grounds and the impact	
of herring spawn deposition	863
Nash, R.D.M., see Kideys et al.	391
Navarro, E., see Bayne et al.	813
Naylor, E., see Warman et al.	355
Nekludova, N., see Arkhipkin and Nekludova	949
Nelson-Smith, A., see Cadman and Nelson-Smith	213
Newton, C. and Potts, W.T.W.	
Ionic regulation and buoyancy in some planktonic organisms	
Nicola, M. de, see Guarino et al.	785
Norman, C.P. and Jones, M.B.	
Reproductive ecology of the velvet swimming crab, Necora puber (Brachyura,	
Portunidae), at Plymouth	379
Nott, J.A., Bebianno, M.J., Langston, W.J. and Ryan, K.P.	
Cadmium in the gastropod Littorina littorea	
Nygaard, K., see Patterson et al.	
Oliveira, R.F. de, see Gonçalves et al.	
Pagès, F., see Pugh and Pagès	
Pascoe, P.L., see Bryan, Burt, Gibbs and Pascoe	913
Paterson, D.M.	
See Underwood and Paterson	
See Underwood and Paterson	871
Patterson, D.J., Nygaard, K., Steinberg, G. and Turley, C.M.	
Heterotrophic flagellates and other protists associated with oceanic detritus	
throughout the water column in the mid North Atlantic	67
Pedrotti, M.L.	
Spatial and temporal distribution and recruitment of echinoderm larvae in the	
Ligurian Sea	
Pike, A.W., see Siddall et al.	931
Pinn, E.H. and Ansell, A.D.	
The effect of particle size on the burying ability of the brown shrimp Crangon crangon.	365
Polson, E.S., Robbins, L.L. and Lawrence, J.	
Intraskeletal matrix proteins in Echinodermata	727
Potts, W.T.W., see Newton and Potts	15
Pugh, P.R. and Pagès, F.	
A new species of Clausophyes (Siphonophorae, Clausophyidae), with a redescription	F0-
of C. galeata and C. moserae	
Pulsford, A.L., see Glynn and Pulsford	
Read, J.F., see Weeks et al.	253

I	PAGE
Reid, D.G., see Warman et al.	355
Rice, A.L., see Bronsdon et al.	531
Robbins, L.L., see Polson et al.	
Ryan, K.P.	
See Austen et al.	627
See Nott et al.	655
Sarà, M., see Bavestrello et al.	457
Sardá, R. and Martin, D.	
Populations of Streblospio (Polychaeta: Spionidae) in temperate zones:	
demography and production	769
Siddall, R., Pike, A.W. and McVicar, A.H.	
Parasites of Buccinum undatum (Mollusca: Prosobranchia) as biological indicators of	
sewage-sludge dispersal	931
Sleigh, M.A., see Leakey et al.	
Southward, E.C., see Williams et al.	
Steinberg, G., see Patterson et al.	67
Swift, D.J.	
The macrobenthic infauna off Sellafield (north-eastern Irish Sea) with special reference	
to bioturbation	
Threlfall, W., see Clark and Threlfall	
Thurston, M.H., see Bamber and Thurston	
Turley, C.M., see Patterson et al.	
Tyler, P.A., see Bronsdon et al.	531
Underwood, G.J.C. and Paterson, D.M.	
Recovery of intertidal benthic diatoms after biocide treatment and associated sediment	
dynamics	25
Seasonal changes in diatom biomass, sediment stability and biogenic stabilization in	
the Severn Estuary	
Vanreusel, A., see Hamerlynck and Vanreusel	453
Verriopoulos, G.C., see Christou and Verriopoulos	343
Vrijenhoek, R.C., see Hu et al.	471
Warman, C.G., Reid, D.G. and Naylor, E.	
Variation in the tidal migratory behaviour and rhythmic light-responsiveness in the	
shore crab, Carcinus maenas	
Warner, A.J., see Hays and Warner	967
Warwick, R.M., see Austen et al.	627
Weeks, A.R., Fasham, M.J.R., Aiken, J., Harbour, D.S., Read, J.F. and Bellan, I.	
The spatial and temporal development of the spring bloom during the JGOFS North	
Atlantic Bloom Experiment, 1989	
Wigham, G.D., see Jones, M.B. and Wigham	405
Wilbur, K.M., see Darling and Wilbur	723
Williams, N.A., Dixon, D.R., Southward, E.C. and Holland, P.W.H.	
Molecular evolution and diversification of the vestimentiferan tube worms	437
Wright, P.J. Otolith microstructure of the lesser sandeel, Ammodytes marinus	245
Würtz, M. and Marrale, D.	
Food of striped dolphin, Stenella coeruleoalba, in the Ligurian Sea	571
Yellowlees, D., see Johnston et al.	1
Yule, A.B., see Kugele and Yule	719

## SUBJECT INDEX

n t	PAGE
Behaviour  Colour polymorphism in Motor halties from the Peru of Nanles	705 704
Colour polymorphism in <i>Idotea baltica</i> from the Bay of Naples  Effect of particle size on the burying ability of the brown shrimp	
Feeding behaviour of the mussel, Mytilus edulis	
Feeding habits of oplophorid shrimps in the deep Mediterranean	102 204
Marine-feeding otters: seasonal variations	
Tidal migratory behaviour and light-responsiveness in the shore crab	255 264
Benthos and Sediments	333-304
Benthic diatoms and sediment dynamics	25-45
Effect of particle size on the burying ability of the brown shrimp	
Life history of infaunal polychaetes off North Carolina	123-141
Macrobenthic infauna in the Irish Sea and bioturbation	
Mesacanthion diplechma, a link to higher trophic levels?	453-456
Organic carbon content of gravel bed herring spawning grounds	
Seasonal changes in biogenic stabilization in the Severn Estuary	
Biochemistry	
Cadmium in the gastropod Littorina littorea	655-665
Enzyme biochemistry of digestive glands in a tropical barnacle	1-14
Histochemistry of Mytilus bucco-oesophageal glands	237-240
Intraskeletal matrix proteins in Echinodermata	
Ionic regulation and buoyancy in some planktonic organisms	15-23
Metabolism of 14C-labelled TBT in the dog-whelk	
Organic carbon content of gravel bed herring spawning grounds	863-870
Rods in the eyes of herring and increased di-docosahexaenoyl	679-688
Sub-cuticular glands in the copepod Temora longicornis	97-107
Sulphur cross-links and the polymerization of barnacle cement	689-702
Tryptic digestion of the serum immunoglobulin of the flounder	
Bioluminescence	
Innervation of luminous glands in the copepod Euaugaptilus magnus	417-423
Communities	
Patterns of abundance and distribution of species in intertidal rock pools	555-569
Planktonic ciliates in Southampton Water: quantitative taxonomic studies	579-594
Strombidiid ciliates from coastal waters of Jamaica	
Sublittoral hard-substratum communities off Scotland	
Deep Sea	
Reproductive biology of two epizoic anemones from the deep Atlantic Ocean	531-542
Development, Growth and Maturation	
A method for measuring growth in living barnacles	723-726
Age, growth and maturation of the loliginid squids off West Africa	949-961
Changes in the opacity of larval herring, Clupea harengus	225-232
Changing phospholipids and the appearance of rods in the eyes of herring	679-688
Colony growth and feeding in a marine bryozoan	321-331
Density-dependent growth in cockles	333-342
Developmental biology of marine organisms (abstracts)	703-718
Dynamics and growth of Abra tenuis at its northern limit	497-511
Heterozygote deficiencies in a cohort of newly settled Mytilus edulis spat	647-653
Identification of early life history stages of Crassostrea and Ostrea species	471-496
Length, weight and condition factor of Acartia clausi in the Mediterranean	343-353
Otolith microstructure of the lesser sandeel	245-248
Polymerization of barnacle cement	

		B		1
3	-	,	4	ı

	TAGE
Rate of spiculogenesis in a sponge using tetracycline marking	
Reproduction and growth of Sphaerechinus granularis in southern Brittany	
Settlement and growth of an intertidal gastropod in Ireland	313-319
Ecology and Distribution	
Abra tenuis at the northern edge of its distribution	497-511
American Jack knife clam, Ensis directus, in the North Sea	
Boreomysis nobilis in Newfoundland fjords	755-768
Deep-water pycnogonids of the Cape Verde Slope	837-861
Ecological significance of colour polymorphism in Idotea baltica	785-794
Intertidal benthic diatoms after biocide treatment	
Nassarius as an indicator of TBT pollution before and after restrictions	
Occurrence of Parablennius sanguinolentus on the Portuguese coast	465-467
Patterns of abundance and distribution of species in intertidal rock pools	
Presence of Pontocrates arcticus (Crustacea: Amphipoda) in Britain	609-615
Protists associated with oceanic detritus in the mid North Atlantic	67-95
Pycnogonids from southern Spain	543-553
Reproductive ecology of the velvet swimming crab at Plymouth	379-389
Seasonal abundance of copepodites off Plymouth	109-122
Seasonal changes in diatom biomass in the Severn Estuary	871-887
Settlement and growth of an intertidal gastropod in Ireland	313-319
Spatial and temporal development of the spring bloom in the North Atlantic	253-282
Spatial and temporal distribution of echinoderm larvae in the Ligurian Sea	513-530
Streblospio: demography and production	769-784
Strombidiid ciliates from coastal waters of Jamaica	
Sublittoral hard-substratum communities off Scotland	733-754
Feeding and Nutrition	
Colony growth and feeding in a marine bryozoan	321-331
Day-night feeding by decapod crustaceans in the deep Mediterranean	795-811
Energetic cost of reproduction of Buccinum undatum in the Irish Sea	391-403
Feeding behaviour of the mussel, Mytilus edulis	813-829
Feeding habits of oplophorid shrimps in the deep Mediterranean	
Food of the striped dolphin in the Ligurian Sea	
Importance of mucus in digestion in Mytilus	237-240
Length, weight and condition factor of Acartia clausi in the Mediterranean	343-353
Marine-feeding otters in Norway	297-312
Mesacanthion diplechma, a link to higher trophic levels?	
Mixotrophy in marine species of Chrysochromulina	283-296
Opacity of larval herring and vulnerability to predation	225-232
Seasonal abundance of copepodites off Plymouth	
Suspension feeding in larval crabs	207-211
Long-term studies	
Towing speed and sampling depth of the Continuous Plankton Recorder	967-970
Migration and Movements	
Mobility in lepadomorph barnacles	719-722
Molecular Biology and Genetics	
Chromosomes of the sea anemone Haliplanella luciae	971-973
Heterozygote deficiencies in a cohort of newly settled Mytilus edulis spat	
Molecular evolution and diversification of the vestimentiferan tube worms	437-452
New Species and Genera	
Ammothella gibraltarensis sp. nov	549

## JMBA VOLUME 73: SUBJECT INDEX

xvii

PAGE Astomonema southwardorum sp. nov. 629 Cilunculus battenae sp. nov. 847 Clausophyes laetmata sp. nov. 596 Cyrtostrombidium gen. nov. 60 Cyrtostrombidium longisomum sp. nov. ......60 Cyrtostrombidium wailesi sp. nov. ......61 Mesoikopleura gen. nov. 636 Mesoikopleura enterospira sp. nov. 636 Mesoikopleura youngbluthi sp. nov. 638 Ministeria gen. nov. 84 Ministeria marisola sp. nov. 84 Rhizomonas setigera comb. nov. Strombidium bilobum sp. nov. 52 Strombidium maedai sp. nov. 53 Strombidium sphaericum sp. nov. ......55 Parasitology Pollution and Toxicity Imposex in Australian Conus 241-244 Male genital defect in the dog-whelk favouring survival in a TBT-polluted area ....... 667-678 **Population Studies** A method for marking small juvenile gastropods ......963-966 Age, growth and maturation of loliginid squids off West Africa .......949-961 Red tides and blooms Spatial and temporal development of the spring bloom in the North Atlantic ................253-282 Reproduction and Life History Herring spawn deposition and the organic carbon content of gravel beds ......863-870 Imposex in Australian Conus ......241-244 

Male genital defect in the dog-whelk favouring survival in a TBT-polluted area ....... 667-678

		PAGE
	Marine-feeding otters: reproductive timing	297-312
	Recruitment of echinoderm larvae in the Ligurian Sea	
	Reproduction and growth of Sphaerechinus granularis in southern Brittany	
	Reproductive biology of Boreomysis nobilis in Newfoundland fjords	
	Reproductive biology of Orchestia gammarellus in a sewage treatment works	
	Reproductive biology of two epizoic anemones from the deep Atlantic Ocean	
	Reproductive cycle of Buccinum undatum in the Irish Sea	391-403
	Reproductive ecology of the velvet swimming crab at Plymouth	379-389
	Seasonal abundance of copepodites off Plymouth	109-122
R	hythmicity	
	Day-night feeding by decapod crustaceans in the deep Mediterranean	795-811
	Tidal migratory behaviour in the shore crab	355-364
Si	linity and Osmoregulation	
-	Ionic regulation and buoyancy in some planktonic organisms	15-23
Si	ructure and Histology	
-	Histology and histochemistry of digestive glands in a tropical barnacle	1-14
	Innervation of luminous glands in the copepod Euaugaptilus magnus	417-423
	Intraskeletal matrix proteins in Echinodermata	
	Morphological variation in the red-water ciliate Mesodinium rubrum	975-978
	Otolith microstructure of the lesser sandeel	
	Shell morphology of early life history stages of Crassostrea and Ostrea species	
	Statolith microstructure Loligo gahi	
	Sub-cuticular glands in the copepod Temora longicornis	97-107
S	wimming and Buoyancy	
	Ionic regulation and buoyancy in some planktonic organisms	15-23
Т	axonomy	
	A gutless nematode dominant in a methane seep area in the North Sea	627-634
	Deep water pycnogonids of the Cape Verde Slope	
	Heterotrophic flagellates and other protists in the mid North Atlantic	67-95
	Molecular evolution and diversification of the vestimentiferan tube worms	
	New genus of midwater appendicularian: Mesoikopleura with four species	635-646
	New species of lugworm: Arenicola defodiens sp. nov.	
	Planktonic ciliates in Southampton Water: quantitative taxonomic studies	579-594
	Pycnogonids from southern Spain	543-553
	Redescription of the isopod genus Xenuraega	617-625
	Review of the genus Fenestrulina on the Iberian Peninsula	
	Strombidiid ciliates from coastal waters of Jamaica	A7.45
	Taxonomic confusion in the genus <i>Pontocrates</i> (Crustacea: Amphipoda)	400 415
	Taxonomic status of Littorina neglecta	
	Taxonomic status of Littorina neglecta	250
	The genus Clausophyes (Siphonophorae, Clausophyidae)	EOE 400
т	echniques and Methodology	
	A method for marking small juvenile gastropods	062 066
	A method for measuring growth in living barnacles	703-700
	Rate of spiculogenesis in a sponge using tetracycline marking	967 070
	Towing speed and sampling depth of the Continuous Plankton Recorder	461 464
1	Ultrasonography for the study of structure and mechanical events	401-464
*	'ents and Seeps  A gutless nematode dominant in a methane seep area in the North Sea	627 624
7	A guttess nematode dominant in a methane seep area in the North Sea	02/-034
	Rods in the eyes of herring and increased di-docosahexaenoyl	670 600
	DOMES HE LINE EVES OF DETUTION AND INCREASED DE COSAREXAPROVI	

